

Dated 20th April 1954.

To

The Firms dealing in Papers.

Enquiry No. 12340.

Subject:—Supply of Tissue Paper for the Government Soap Factory, Bangalore.

Gentlemen,

No. S.P.C. 3486-505. Please be good enough to intimate your best prices and the earliest time of delivery for the materials described below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of three per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for supply of Tissue Paper for the Government Soap Factory, Bangalore" with the above enquiry number.

This enquiry will be closed on the 6th May 1954.

SCHEDULE.

	Quantity	Price quoted F.O.R.
1. Tissue Paper—(White)—Size 27"×30" ... White/Acid/Free/best quality.	100 reams	Bangalore.

Time of delivery—Delivery in one lot during the 1st week of May 1954.

N.B.—Free sample should accompany the quotation; otherwise the quotation will not be considered.

2. Sales-tax, if any, should be quoted separately.

3. Quotations should be sent in duplicate.

4. No enhancement of prices will be allowed after the acceptance of the tender.

5. Quotations will be opened at 2 p.m. on the next working day after the closing date.

703 (a)

Dated 20th April 1954.

To

The Firms dealing in Common Salt.

Enquiry No. 12341.

Subject:—Supply of Common Salt for the Government Soap Factory, Bangalore.

Gentlemen,

No. S.P.C. 3466-85. Please be good enough to intimate your best prices and the earliest time of delivery for the materials described below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for supply of Common Salt for the Government Soap Factory, Bangalore," with the above enquiry number.

This enquiry will be closed on the 6th May 1954.

SCHEDULE.

	Quantity	Price quoted F.O.R.
1. Common Salt—White and should be in powdered form	800 bags	Bangalore

Time of delivery—Delivery in one lot during the last week of May 1954.

N.B.—Quotations with firm prices will be preferred.

2. Sales-tax, if any, should be quoted separately.

3. Quotations should be sent in duplicate.

4. No enhancement of prices will be allowed after the acceptance of the tender.

5. Quotations will be opened at 2 p.m. on the next working day after the closing date.

703 (b)

Dated 21st April 1954.

To

The firm dealing in the construction of van bodies.

Enquiry No. 12342.

Subject.—Construction of Van bodies for the 17 chassis of different types in the Police Department.

Gentlemen,

No. S.P.C. 3640-60 Please intimate, on or before the 12th May 1954, your best price and the time you require for the construction of bus bodies for the types of chassis, as per specifications stated in the undermentioned schedule, subject to the following conditions:—

1. Quotations received after the due date will not be considered under any circumstances.

2. The Blue print showing the general design of construction, seating arrangement, position of doors, luggage carrier etc., should be prepared by the tenderers and submitted along with the quotation giving brief specifications of the materials to be used, etc.

3. The Police Department always reserve the right to make any alterations in the design or specifications and the bodies should be constructed with such modifications as approved by the Department.

4. A sum of Rs. 100 should be remitted to the Reserve Bank of India, the chellan being enclosed to the quotation. Those who have paid the earnest money under Enquiry No. 11961 need not pay the amount but in their quotation the fact should clearly be stated.

5. Successful tenderer should deposit a cash security of Rs. 1,000 and execute a bond on a "10 anna" Mysore Government Stamp Paper for due fulfilment of the contract.

6. Quotations with firm prices are preferred.

7. Quotations should be submitted in duplicate.

8. No enhancement in prices will be allowed after the acceptance of the tender.

9. Quotations will be opened at 2 P.M. on the next working day after the closing date of the enquiry.

10. The quotations should be superscribed "Quotations for the construction of Van Bodies required by the Police Department" with the above enquiry number.

11. This supersedes our previous enquiry Nos. 11896 and 11961.

SCHEDULE.

1. Construction of Van bodies on "Dodge" 152" W.B. chassis, with windshield and cowl 30×7-10 ply tyres, as per specification noted below 9 Nos.

2. Construction of Van bodies on "Desoto" 152" W.B. chassis with windshield and cowl, 34×7-10 ply tyres, as per specification noted below 8 Nos.

Specification for building standard city type bodies for Police Vans of 152" wheel base chassis.

GENERAL.—The van body shall be of composite type having steel frame and timber fillets and floor boards and M.S. sheets panels both *inside* and *outside*. There shall be a full door with dropside glass shutters on either side of the driver's cab. The special features are:—

1. A crosswise seat to accommodate 5 persons behind the driver's seat with entrance through the front door on the left side of the driver's seat.

2. The driver's seat should be extended upto the right inner side of the body with an extra seat provided on the left side of the driver's seat with an arm rest. Under the extended seat tool box to be provided with arrangements to lock.

3. Two longitudinal seats (foldable) if need be in the body.

4. One door with two shutters at the rear.

5. Expanded metal fixed shutters for the windows on either side and the rear door shutters.

6. Foldable and detachable metal stone guards for the windscreen for cabs glassed shutters, for front head lights etc.

Note.—If required, the expanded metal windows for the body should be made in such a manner as to fold the upper half inwards.

Dimensions:

Overall length of the body	... 15'6"	} Approximate.
Internal width	... 6'3"	
Internal height	... 5'6"	

Constructions. The cross bearers should be fabricated out of 2" x 2" x 1 1/4" M.S. Angle fitted with vanteak inserts and the roof sticks to be of 1 1/2" x 1 1/2" x 1/8" M.S. Angles fitted with veteal fillets to enable shaping and panelling. The entire body frame should be bolted and welded wherever necessary and painted with anti-corrosive paint.

Flooring. Teakwood planks of 1" thick to be screwed down to the cross bearer fillets and covered with bitumastic felt to make it dust proof metal sheeting should be used for flooring.

Panelling. Exterior panelling is to be of 20 G.M.S. sheet nailed to the timber fillets and with suitable mouldings at the joints.

Driver's Compartment. This is to be built integral with the body. A composite partition to be provided to the full height with a fixed type expanded metal window in the centre of the partition.

The Driver's and the five seats behind to be provided with comfortable leather cushions.

Doors. Full doors on either side of the driver's cab are to have windows having triplex glass shutters operated by winding regulators and fixed on stout iron hinges at the front with slam locks, and chemium plated door handles. Rubber buffers guides to be provided to prevent rattling.

Two rear doors with fixed expanded metal windows shall be provided.

Windows. The windows are to have expanded metal shutters sufficiently reinforced for rigidity. Rain shield and water channel shall be provided over windows.

Roof. The centre of the roof will be of teakwood plank 1 1/2" or 5/8" thick. There shall be bitumenastic treated felt over the timber ceiling and covered with G.I. sheets to make the top leak proof.

Side curtains. Water proof roll up khaki canvas curtains shall be provided for all the windows with necessary leather straps and turn buttons.

Fittings. 1. A locker at the rear side below the floor level.

2. Two longitudinal seats foldable in the rear compartment with cushions.

3. One folding step at the rear.

4. One R.V. mirror.

5. Two Nos. Rifle stands with leather belts in the cab.

6. Stone guards for W.S. Glasses, door glasses and head lights.

7. Petrol tank to be suitably covered by mess.

Paintings. All steel works are to have a coat of anti-corrosive paint. The vehicle should be painted with primer puttied up and filler, and given two coats of blue colour synthetic enamel. The interior should be painted with light blue colour.

Lettering. Letters "Government of Mysore, Police Department" have to be carved on the head of the vehicle above the front glass and the monogram on the side.

704

Dated 21st April 1954.

To

The Firms dealing in Machinery.

Enquiry No. 12343.

Subject:—Equipments required for maintaining Service Station at Shiralkoppa.

Gentlemen,

No. S.P.C. 3686-715. Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the undermentioned Schedule in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for equipment required for maintaining service station at Shiralkoppa" with the above enquiry number.

This enquiry will be closed on the 8th May 1954.

SCHEDULE

Item No.	Description of material offered	Quantity	Price quoted F.O.B.	Time of delivery
1.	Compressor with a tank to collect the compressed air, with a safety valve and gauge range of 200 lbs. per sq. inch.	ONE	Shiralkoppa	
2.	Electric Motor to run the compressor of 1 H.P., 440-400 V and of 1440 R.P.M.	ONE		
3.	Rubber Hose	200 ft.		
4.	Galvanized Pipe of 1 1/2" size	100 ft. length with the bow and three ways.		
5.	Compressed air grease gun	ONE		
6.	Oil filling can, with different connections	ONE		
7.	Oil spray gun	ONE		
8.	Garage Maintenance Kit	ONE		

- N.B.—1. Quotations with firm prices will be preferred.
2. Sales-tax, should be quoted separately.
3. No enhancement of prices will be allowed after the acceptance of the tender.
4. Quotations may be sent in duplicate.
5. Whether your firm has been registered in the S.P.C. office as per new rules, may be mentioned.
6. The price quoted should hold good for a period of 3 months from the date of opening the tenders, failing which such quotations will not be considered.
7. Quotations will be opened at 2 P.M. on the next working day after the closing date of the enquiry.

802b

Dated 21st April 1954.

To

The firms dealing in the Police Van Body Construction.

Enquiry No. 12344.

Reconstruction of Police Van bodies for 5 Nos. in the Police Department.

Gentlemen.

No. S.P.C. 3931-50. Please intimate on or before 15th May 1954, your best price and the time you require for the reconstruction of van bodies for the different types of chassis, as per specifications stated in the undermentioned schedule, subject to the conditions noted below:—

1. Quotations received after the due date will not be considered under any circumstances.

2. The blueprint showing the general design or construction, seating arrangement, position of doors, luggage carriers, etc., should be prepared by the tenderers and submitted along with the quotation giving brief specifications of the materials to be used, etc.

3. The Police Department always reserve the right to make any alterations in the design or specifications. The van bodies should be constructed with such modifications as approved by the Department.

A sum of Rs. 100 should be remitted to the Reserve Bank of India, Bangalore, to the credit of the Personal Deposit Account of the Secretary, Stores Purchase Committee and the challan should be enclosed to the quotation. The bank cheques and drafts will not be considered under any circumstances. Those who have remitted the earnest money in connection with the Enquiry No. 11918 need not pay the amount, but they should state particulars in their quotation to be submitted in response to the present enquiry.

5. Successful tenderer should deposit a cash security of Rs. 1,000 and execute an agreement with the undersigned, on a Mysore Government Stamp paper of value of 10 annas for the fulfilment of the contract.

6. Quotations with firm prices are preferred and no enhancement in prices after the acceptance of the tender will be allowed under any circumstances.

7. Withdrawal from the quotation after it is accepted or failure to execute the work within the specified period or according to specifications will entail cancellation of the order and the work being got done elsewhere at your expenses in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

8. It should be specifically stated whether the firm has been registered in this office under the new rules.

9. Quotations should be submitted in duplicate.
 10. Quotation will be opened at 2 P.M. on the next working day after the closing date of the enquiry.
 11. The quotation should be superscribed "Quotations for the reconstruction of the Police Van Bodies" with the above enquiry number.
 12. This supersedes our enquiry No. 11918.

SCHEDULE.

- | | |
|--|--------|
| 1. Ford V8 — 1946 — 158" W.B. — 62 x 6 — 10 ply tyres | 4 Nos. |
| 2. Fargo — 1952" W.B. — 34 x 6 — 10 ply tyres (6 wheels) | 2 " |
| 3. Chevrolet — 1952" W.B. — 32 x 6 — 10 ply tyres (4 wheels) | 1 " |
| 4. Ford V8 — 114" W.B. — 600 x 6 — 6 ply tyres (Semisaloons) | 1 " |
| 5. Chevrolet — 152" W.B. — 34 x 7 — 10 ply tyres (6 wheels) | 1 " |

(Five vehicles out of 9 Nos. required reconstruction and selections will be made at the time of placing the orders.)

Specification.

General: The van body shall be of composite type having steel frame and timber fillets and floor boards and M. S. sheets panels both *inside* and *outside*. There shall be a full door with dropside.

803

Dated 22nd April 1954.

To

The Firms dealing in Hot Die and other Tool Steels.

Enquiry No. 12345.

Subject:—Hot Die and other Tool Steels to the Government Electric Factory, Bangalore.

Gentlemen,

No. S.P.C. 3951-70. Please be good enough to intimate your best prices and the earliest time of delivery for the materials described below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of three per cent of the value of the order as and by way of liquidated damages. In such an event the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Hot Die and other Tool Steels to the Government Electric Factory, Bangalore," with the above enquiry number.

This enquiry will be closed on the 10th May 1954.

SCHEDULE.

- | | |
|---|-----------|
| I. 10 per cent Tungsten Hot Die Steel Carbon 0.50 per cent Tungsten 9—10 per cent and Chromium 3.5 per cent Size—1" dia. | Quantity. |
| Size—1½" dia. | 12 ft. |
| Size—2½" dia. | 12 " |
| Size—3½" dia. | 12 " |
| II. H.M.V. Oil hardening and Non-Shrinking Steel:—Carbon 1.0 per cent Manganese 1.5 per cent Mylhydennum and Vanadium also present Size—1" dia. | 12 ft. |
| Size—1½" dia. | 12 ft. |

- N.B.—1. The quotations with firm prices will be preferred.
 2. Sales-tax, if any, should be quoted separately.
 3. No enhancement of prices when once accepted.
 4. Quotations will be opened at 2 P.M. on the next working day after the closing date.
 5. Whether your firm has been registered in the Stores Purchase Committee Office as per new rules, may be mentioned.
 6. Rates should be quoted for delivery F.O.R., Bangalore, and in Indian Currency.
 7. Supply from ready stocks and in one lot is preferred.
 8. Best English make or any other equally good make required to be quoted for, with details of make, etc., offered.
 9. Samples should accompany the quotations.
 10. Quotations should hold good for a period of 45 days from the date of opening the quotations.

804(a)

Dated 22nd April 1954.

To

The firms dealing in Sprayers.

Enquiry No. 12346.

Subject:—Sprayers and Dusters for the Community Project.

Gentlemen,

No. S.P.C. 3914-30. Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the undermentioned schedule, in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Sprayers and Dusters for the Community Project" with the above enquiry number.

This enquiry will be closed on the 8th May 1954.

SCHEDULE.

- | Item No. | Description of material offered | Quantity | Price quoted F.O.R. | Time of delivery |
|----------|--|----------|---------------------|------------------|
| 1. | Sprayers Brass Buck Type little giant spray pump with 30' rubber hose with misty spray nozzle, single tube brass buckets, spray pump with brass ball valves etc., complete | 65 | Sagar | |
| 2. | Knap sack sprayers, pump brass type, 2 gallons capacity with rubber hose 6' length brass lance, 2' brass pipe extension and trigger type nozzles etc., complete | 65 | | |
| 3. | Bellows Hand dusters, 8 lbs. capacity with extension pipe etc., complete | 65 | | |

- NOTE.—1. The rates offered must be on F.O.R. Sagar basis.
 2. Quotations with firm prices will be preferred.
 3. Sales-tax, should be quoted separately.
 4. No enhancement of prices will be allowed after the acceptance of the tender.
 5. Quotations may be sent in duplicate.
 6. Whether your firm has been registered in the S.P.C. Office as per new rules, may be mentioned.
 7. The price quoted holds good for a period of 3 months from the date of opening the tenders, failing which such quotations will not be considered.
 8. Quotations will be opened at 2 P.M. on the next working day after the closing date of the Enquiry.

802

Dated 21st April 1954.

To

The firms dealing in Bat pags.

Enquiry No. 12347.

Subject:—Bat pags for use in the Sri Krishnarajendra Silver Jubilee Technological Institute, Bangalore.

Gentlemen,

No. S.P.C. 3883-913. Please be good enough to intimate your best prices and the earliest time of delivery for the materials described below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Bat pags for use in the Sri Krishnarajendra Silver Jubilee Technological Institute, Bangalore," with the above enquiry number.

This enquiry will be closed on the 11th May 1954.

SCHEDULE

- | | |
|---|--------|
| 1. Bat pags (for dohby designs English make | 10,000 |
|---|--------|
- N.B.—1. Samples should invariably be sent along with the quotations in the absence of which the offer will not be taken into account.
 2. The quotations with firm prices will be preferred.
 3. Sales Tax, if any, should be quoted separately.
 4. The quotations will be opened at 2 P.M. on the next working day after the closing date.

805(b)